

Article

Influence of Different Hardness Custom Foot Insoles in the Electromyography Activity Patterns of the Thigh and Hip Muscles during Motorcycling Sport: A Crossover Study

Israel Casado-Hernández ¹, Ricardo Becerro-de-Bengoa-Vallejo ², Marta Elena Losa-Iglesias ¹, Eva María Martínez-Jiménez ³, Daniel López-López ⁴, Victoria Mazoteras-Pardo ², Carlos Romero-Morales ^{5,*} and César Calvo-Lobo ²

- ¹ Faculty of Health Sciences, Universidad Rey Juan Carlos, 28922 Alcorcón, Spain; israelcasado@yahoo.es (I.C.-H.); marta.losa@urjc.es (M.E.L.-I.)
- ² Facultad de Enfermería, Fisioterapia y Podología, Universidad Complutense de Madrid, 28040 Madrid, Spain; ribebeva@ucm.es (R.B.-d.-B.-V.); vmazoter@ucm.es (V.M.-P.); cescalvo@ucm.es (C.C.-L.)
- ³ Facultad de Fisioterapia y Enfermería, Departamento de Enfermería, Universidad de Castilla la Mancha, 45071 Toledo, Spain; Eva.Martinez@uclm.es
- ⁴ Research, Health and Podiatry Group, Department of Health Sciences, Faculty of Nursing and Podiatry, Universidade da Coruña, 15403 Ferrol, Spain; daniel.lopez.lopez@udc.es
- ⁵ Faculty of Sport Sciences, Universidad Europea de Madrid, Villaviciosa de Odón, 28670 Madrid, Spain
- * Correspondence: carlos.romero@universidadeuropea.es

Received: 5 February 2020; Accepted: 10 March 2020; Published: 11 March 2020



Abstract: Nowadays, the use of insoles in sport practice have been recognized to decrease the foot and lower limb injury patterns. The aim of this study was to analyse the effect of four types of hardness insoles (HI) in the activity patterns of the hip and thigh muscles (HTM) in motoriders during motorcycling sport. The study was a crossover trial. Subjects were elite motoriders. The mean age was 33 ± 5.14 years. Electromyography (EMG) of hip and thigh muscles (HTM) data was registered via surface while subjects were riding on an elite motorcycle simulator. Subjects had to complete different tests with randomly hardest insoles (HI): 1: only polypropylene (58° D Shore); 2: Polypropylene (58° D Shore) with selective aluminium in hallux and metatarsal heads (60 HB Brinell hardness); 3: Ethylene vinyl acetate (EVA) (52° A Shore); and finally, 4: Ordinary EVA (25° A Shore) as the control. EMG patterns of the HTM, riding on an elite motorcycle simulator, showed the lowest peak amplitude with the insoles with polypropylene and selective aluminium. Using the hardest insoles in our study (selective aluminium) the EMG amplitude peaks decreased in all HTM.

Keywords: insoles; surface electromyography; muscular disease; motorcycle; support

1. Introduction

Motorider performance in speed circuit race arises from various elements: motorider physical condition, motorcycle elements composition: tires, suspensions, brakes, chassis, engine and, finally, environmental factors. Competing motorcycles and speed circuits are not identical, and the hip and lower limb muscular fatigue influence in riders remains unmeasurable. Published research focusing on biomechanical and muscular fatigue in riders is relatively sparse [1,2]. Motoriders undergo a high physical load while they quickly accelerate and abruptly decelerate. They attempt to gain control of the centre of mass distribution of the motorcycle in various riding requirements, for example, when a motorider is negotiating straights and turns [3,4].



Muscular tiredness is a very complex phenomenon. It can be depicted as a time-dependent practice induced depletion in the maximum contraction force of each muscle [5]. Loss of strength depends on the duration and intensity of practise and on the kind of muscular shrinkage [6]. Research has focused on upper limb riders injuries [7–9]. Hip and thigh muscles play a suitable role across the forces made by the feet on the footpeg in motorcycling performance [10]. Currently, we have found in the scientific literature recent studies that describe the importance and influence of the motorider physical condition on the performance riding on a motorcycle. A poor physical condition produce an increase in muscle fatigue and, therefore, a performance decrease. Likewise, sudden muskuloesqueletal movements riding on the motorcycle with a deficient physical condition will produce injuries [11]. Highlight Achilles tendinophaty, patellofemoral syndrome, shallow soft tissue, knee pain, due to sudden changes on the motorcycle and plantar injury like paraesthesia due to an increase of plantar pressure on the footpeg [11–14].

Nowadays, the impact of the prevalence and complaints rate of HTM alterations showed an estimated range around of 10% and 40% that commonly appear in the practice of the various types of bicycles that include: 1: bike motocross, 2: motorcycling sport, 3: road bike, 4: stationary cycles and 5: stunt bicycles [13].

These injuries present an assortment of multifactorial reasons associated with: Abnormality of HTM, musculoesqueletal disturbance, features of riding surroundings, male genus morphological characteristics, the kind of boot and foot pedal strength, which continue without be clear due to the complex structure and factors that involve this problem [1,15].

Nonetheless, any prior investigation has evaluated this issue related to EMG patterns in riders during the motorcycling sport and the effects of different HI in the activity of HTM. These tools are generally utilized to assess muscle patterns activity in the cycling. Preceding reports recorded meaningful oscillations in the EMG patterns of HTM during the praxis of cycling sports [14,16,17].

Based on these depositions, the principal purpose of our investigation was to evaluate the effect of four types of hardness CFI in the activity patterns of the hip and thigh muscles (HTM) in healthy people during motorcycling sport. The hypothesis in our inquiry is that participants wearing different HI performing motorcycling may display variations in the EMG of the HTM. The principal main goal is to determinate which material of the HI decrease EMG patterns.

2. Materials and Methods

2.1. Design and Sampling

Nine male healthy motorcycle riders participated in outpatient foot specialist clinic, in the town of Madrid (Spain) from November to December 2018. A crossover study (prospectively registered in ClinicalTrials.gov as NCT03734133 on November 28, 2018) was carried out and a non-random consecutive sampling method was applied to recruit all participants. The inclusion criteria comprised: (1) at least eighteen years old, (2) healthy motorcycle riders without medical problems in the clinical record neither family history with relevant illness and (3) riders who understood and signed the informed consent document for participation in our research. Additionally, the exclusion criteria included: (1) medical trauma and a history of leg problems, (2) musculoskeletal disturbances, (3) vascular diseases, (4) refusal to sign and deliver consent informed document and (5) an inability to understand the protocol to perform our research. Data were collected as previously describe in [18].

Other hand, our study was accomplished succeeding the guidelines and list for Template for Intervention Description and Replication (TIDieR) [19].

2.2. Method

At first time a preliminary evaluation was focused on a general physical condition, socio-demographic data composed by (1) age, (2) sex, (3) height, (4) weight, (5) Body Mass Index (BMI) and (6) foot size, chronic diseases with dysfunction like musculoskeletal disorders and, finally,

enjoyment activities. A specialized motorcycle sport podiatrist physically evaluated each subject and took the measurement of anthropometric variables, like height, weight, and BMI.

A professional motorcycle simulator was used in our study. The simulator has the shape of a sport motorcycle and a television screen was at the front of the simulator playing a real motor racing. A video of a speed circuit is projected in the television screen riding at the back of a professional rider. Circuit of the Americas was the speed circuit chosen due to the amount of linked turns and large straights. In this way, riders performed the same movements on a real speed circuit. Participants had to speed up the simulator and then, when taking a turn, decelerate. To performance well, participants had to move their bodies up and down, moving the centre of gravity of the moto-pilot inward and outwards on the simulator to the various degrees required to finish the test. The top inclination of the simulator was 60° and riders had to rest their knees on the floor, like riding on real circuit.

Before starting the test, subjects had the opportunity of accommodation on the motorcycle simulator riding for a period of two-minute. Riders' accommodation consisted of riding on the simulator, making a first contact on the motorcycle in order to test their adaptation and feeling of comfort with their motorcycle boots on the footpeg. Each rider wore motorcycle boots with a standard template.

During the test, participants were asked to complete more or less maximum speed simulated in straight-a-ways and at reduced speeds in turns, for a riding period of 20 minutes for every HI test accomplished. Participants rested for five minutes between each 20 minutes testing session for each HI on the simulator. Data were collected from the right leg in right and left turns. The order in which HI were tested was random.

We assessed four types of HI: only polypropylene (58° DShore); polypropylene (58° DShore) with selective aluminium in hallux and metatarsal heads (60HB Brinell hardness); ethylene vinyl acetate (EVA) (52° AShore); and, finally, ordinary EVA (25° AShore) as the control.

For our research six right leg muscles were tested with EMG: 1) fibularis brevis, 2) fibularis longus, 3) tibialis anterior, 4) gastrocnemius lateralis, 5) gastrocnemius medialis and 5) soleus. Previously, every subject was prepared for testing in a quiet place. Subject skin was depilated and cleaned with 70% alcohol liquid and, later, electrodes were affixed to the six muscle areas. Previously, each subject was prepared for testing in a quiet place. Subjects' skin was depilated, cleaned with 70% alcohol liquid, and abraded to decrease electrical impedance between electrodes to less than 5 k Ω .

The accurate whereabouts of the seven electrodes (channel E1 to E7) were as follows:

- E1: Biceps femoris: middle line since the ischial tuberosity to the lateral epicondyle of the tibia.
- E2: Gluteus maximus: middle line between the sacrum to the bigger trochanter.
- E3: Gluteus medius: middle line from the iliaca crest to the trochanter.
- E4: Semitendinous: middle line since the ischial tuberosity to the medial epicondyle of the tibia.
- E5: Tensor fasciae latae: middle line since the anterior-superior spina iliaca to the lateral femoral condyle.
- E6: Vastus lateralis: 2/3 on the line since the anterior-superior spina iliaca to the patella lateral side.
- E7: Vastus medialis: since the anterior-superior spina iliaca to the joint space of the medial ligament.

The surface electrodes were placed 2 cm apart (positive and negative) and parallel on the six muscle areas and fixed with hypoallergenic tape to prevent from peeling or moving on the skin (Figure 1) [20].



Figure 1. Right EMG electrodes positioning and their channels (E1–E7).

Each subject performed, for a duration of eight seconds, three maximum voluntary isometric contractions (MVIC), which were recorded for every muscle analysed [21]. This enabled time for the subject to assemble the contraction and for the trial to steady the lower limb. The purpose was to normalize the maximal amplitude. A well-known limitation is the subject's veracity in performing the MVIC properly [21]. Even knowing that each contraction varies and decreases due to muscle fatigue in an effort, it is better to normalize values in the way described before than not to establish standard values of normality [22]. Subjects rested for a period of time of one or two minutes to decrease the effect of muscular fatigue [23].

The EMG electrodes came out from a light-handed backpack interface, the model was MWX8. The EMG data was recorded with the program DataLINK (Biometrics Ltd., Ladysmith, VA, USA) (version 5.0).

2.3. Statistical Analysis

Statistical analyses were performed according to the methods proposed by a prior research study [18]. First, Shapiro–Wilk tests were applied to assess normality of the socio-demographic data and outcome measurements. According to these results, a normal distribution was determined if the *p*-value was ≥ 0.05 .

Second, socio-demographic characteristics, including age, BMI, Spanish foot size, height and weight, were described using standard deviations (SDs) and 95% confidence intervals (95% CIs).

Third, reliability was assessed within trials for each rider by intraclass correlation coefficients (ICCs). According to these analyses, ICCs values were considered as poor (ICCs < 0.40), fair (ICCs = 0.40–0.59), good (ICCs = 0.60–0.74), and excellent (ICCs \geq 0.75) [24,25]. Reliability coefficients > 0.90 were adequate for clinical measurements as proposed by Portney and Watkins [26]. In addition, means and SDs as well as standard error of measurements (SEMs) were calculated [24]. SEMs were determined according to Bland and Altman's formula (SEMs = SD × sqrt (1–ICC)) [27].

Fourth, minimal detectable changes (MDCs) were calculated in order to determine the minimal change's magnitudes to get a 95% CI regarding changes observed between two tests to reflect the true changes and avoid measurement errors [28]. MDCs were calculated according to SEMs values (SEMS = $1.96 \times SEM \times \sqrt{2}$).

Fifth, Cohen's *d* coefficients were determined in order to report effect sizes for between-groups comparisons. Effect sizes were considered as slight ($d \le 0.20$), fair (d = 0.20-0.49), moderate (d = 0.50-0.79) and large (d > 0.79) [29].

Finally, Mann–Whitney *U* tests were used to determine statistically significant differences for between-groups comparisons according to non-parametric data results of the Shapiro–Wilk tests. Regarding all tests, *p*-values < 0.05 were considered as statistically significant. Furthermore, SPSS 19.0 (Windows; IBM; Chicago, IL, USA) was used to carry out all statistical analyses.

3. Results

The sociodemographic characteristics of our study are shown in Table 1.

	Ν	Age (years)	Heigh (cm)	Weigh (Kg)	BMI (Kg/m ²)	Foot Size
Media ± SD	8	33 ± 5.14	175 ± 44	71 ± 44	23.45 ± 1.04	42.22 ± 2.86
(CI 95%)		(29.04–36.96)	(169.77–181.12)	(67.50–75.38)	(22.65–24.26)	(40.02-44.42)

Table 1. Sociodemographic characteristics.

Results of the Shapiro–Wilk test of the HTM using randomly HI types performing left and right turns on the simulator are shown in Table 2. Results for EMG activity in the HTM using random HI types for different turns on the simulator are displayed in Table 3.

Table 4 displays the results of EMG peak amplitude patterns by sort of HI for different turns on the simulator. All muscle reduce peak amplitude patterns with harder insoles except for the tensor fasciae latae in right and left turns. This muscle increases the peak amplitude with herder insoles.

Table 5 display the comparison between couple of HIs on the EMG peak activity patterns. The smallest amplitude peaks results were obtained with the selective aluminium HI compared with the others templates. The value was p < 0.001 in all muscle analysed. Nevertheless, polypropylene 58° D Shore HI displayed lesser EMG amplitude peaks than EVA compared with ordinary EVA for all muscles analysed (p < 0.001). The results for wearing EVA are lower in comparison with ordinary EVA for all muscles.

Variable	HTM and Turn	p Value	Variable	HTM and Turn	p Value
Biceps Femoris ordinary EVA left turn		0.331	Semitendinous	polypropylene left turn	0.037
Biceps Femoris c	ordinary EVA right turn	0.214	Semitendinous p	olypropylene right turn	0.386
Biceps Fem	oris EVA left turn	0.836	Semitendinous sel	ective aluminum left turn	0.718
Biceps Femo	oris EVA right turn	0.724	Semitendinous sele	ctive aluminum right turn	0.837
Biceps Femoris	polypropylene left turn	0.300	Tensor Fasciae Lat	ae ordinary EVA left turn	0.238
Biceps Femoris p	olypropylene right turn	0.542	Tensor Fasciae Lata	0.554	
Biceps Femoris sel	ective aluminum left turn	0.053	Tensor Fascia	e Latae EVA left turn	0.484
Biceps Femoris sele	ctive aluminum right turn	0.616	Tensor Fasciae	Latae EVA right turn	0.229
Gluteus Maximu	s ordinary EVA left turn	0.148	Tensor Fasciae Lat	ae polypropylene left turn	0.651
Gluteus Maximus	ordinary EVA right turn	0.340	Tensor Fasciae Lata	e polypropylene right turn	0.594
Gluteus Max	cimus EVA left turn	0.918	Tensor Fasciae Latae	selective aluminum left turn	0.756
Gluteus Maxi	imus EVA right turn	0.581	Tensor Fasciae Latae s	elective aluminum right turn	0.009
Gluteus Maximus	s polypropylene left turn	0.327	Vastus Lateralis	ordinary EVA left turn	0.799
Gluteus Maximus	polypropylene right turn	0.610	Vastus Lateralis	ordinary EVA right turn	0.315
Gluteus Maximus se	elective aluminium left turn	0.447	Vastus Late	eralis EVA left turn	0.559
Gluteus Maximus sel	ective aluminium right turn	0.040	Vastus Later	alis EVA right turn	0.483
Gluteus Medius	ordinary EVA left turn	0.547	Vastus Lateralis	polypropylene left turn	0.578
Gluteus Medius	ordinary EVA right turn	0.049	Vastus Lateralis p	oolypropylene right turn	0.516
Gluteus Me	dius EVA left turn	0.915	Vastus Lateralis se	ective aluminum left turn	0.585
Gluteus Mee	lius EVA right turn	0.601	Vastus Lateralis sele	ective aluminum right turn	0.718
Gluteus Medius	polypropylene left turn	0.591	Vastus Medialis	ordinary EVA left turn	0.005
Gluteus Medius p	oolypropylene right turn	0.399	Vastus Medialis	ordinary EVA right turn	0.946
Gluteus Medius sel	ective aluminium left turn	0.143	Vastus Mec	lialis EVA left turn	0.146
Gluteus Medius sele	ctive aluminium right turn	0.494	Vastus Med	ialis EVA right turn	0.531
Semitendinous	ordinary EVA left turn	0.272	Vastus Medialis	polypropylene left turn	0.763
Semitendinous o	ordinary EVA right turn	0.341	Vastus Medialis p	oolypropylene right turn	0.928
Semitendir	nous EVA left turn	0.682	Vastus Medialis sel	lective aluminum left turn	0.025
Semitendine	ous EVA right turn	0.461	Vastus Medialis sele	ective aluminum right turn	0.054

Table 2. Normality test of the EMG variables of the thigh and hip muscles for different HI.

Abbreviations: EVA: ethyl-vinyl-acetate; Right turn: Knee on the floor; Left turn: Lower extremity towards the motorcycle body part. p values are from Shapiro-Wilk test.

	Ordinary EVA 25°			EVA 52°			Polypropylene 58°			Selective Aluminium 60°		
	25° A Shore			52° A Shore			58° D Shore			(60 $^{\circ}$ Brinell Hardness)		
HTM and Turn	ICC (95%CI)	SEM	MDC	ICC (95%CI)	SEM	MDC	ICC (95%CI)	SEM	MDC	ICC (95%CI)	SEM	MDC
Rectus Femoris left turn	0.983 (0,948–0.996)	0.275	0.763	0.765 (0.242–0.943)	0.184	0.511	0.849 (0.548–0.963)	0.159	0.442	0.886 (0.635–0.972)	0.155	0.431
Rectus Femoris right turn	0.963 (0889–0.991)	0.233	0.645	0.961 (0.876–0.990)	0.164	0.454	0.959 (-0.872-0.990)	0.184	0.511	0.918 (0.746–0.980)	0.226	0.627
Biceps Femoris left turn	0.630 (-0.136-0.909)	0.116	0.32	0.843 (0.537–0.961)	0.103	0.286	0.543 (-0.269-0.883)	0.122	0.337	0.093 (-2.018-0.782)	0.143	0.396
Biceps Femoris right turn	0.310 (-1.003-0.826)	0.158	0.437	0.331 (-1.198-0.839)	0.147	0.408	0.666 (-0.029-0.918)	0.116	0.32	0.867 (0.603–0.967)	0.124	0.344
Gluteus Maximus left turn	0.950 (0.845–0.988)	0.224	0.62	0.781 (0.312–0.946)	0.295	0.817	0.540 (-0.534-0.890)	0.224	0.62	0.564 (-0.268-0.890)	0.231	0.641
Gluteus Maximus right turn	0.821 (0.467–0.955)	0.377	1.044	0.548 (-0.583-0.893)	0.289	0.801	0.533 (-0.652-0.890)	0.39	1.080	0.560 (-0.305-0.890)	0.332	0.919
Gluteus Medius left turn	0.679 (0.047–0.920)	0.351	0.974	-0.089 (-2.228-0.727)	0.501	1.388	0.695 (0.073–0.925)	0.398	1.102	0.701 (0.076–0.927)	0.366	1.016
Gluteus Medius right turn	0.459 (-0.547-0.863)	0.405	1.121	-0.706 (-6.381-0.618)	0.601	1.665	0.821 (0.417–0.957)	0.44	1.220	0.833 (0.458–0.959)	0.356	0.985
Semitendinous left turn	0.873 (0.612–0.969)	0.089	0.247	0.620 (-0.213-0.908)	0.136	0.376	0.839 (0.518–0.960)	0.096	0.267	0.614 (-0.202-0.905)	0.118	0.327
Semitendinous right turn	0.281 (-1.571-0.831)	0.136	0.376	0.722 (0.192–0.930)	0.116	0.322	0.659 (-0.140-0.917)	0.099	0.275	0.553 (-0.146-0.881)	0.127	0.352
Tensor Fasciae Latae left turn	0.898 (0.689–0.975)	0.153	0.425	0.660 (-0.026-0.916)	0.274	0.76	0.965 (0.895–0.991)	0.204	0.565	0.153 (-2.148-0.803)	0.175	0.485
Tensor Fasciae Latae right turn	0.564 (-0.369-0.894)	0.158	0.439	0.217 (-0.879-0.786)	0.265	0.736	0.920 (0.756–0.980)	0.164	0.455	0.595 (-0.070-0.894)	0.185	0.512
Vastus Lateralis left turn	0.532 (-0.301-0.880)	0.157	0.436	0.473 (-0.687-0.872)	0.145	0.402	0.643 (-0.131-0.913)	0.108	0.298	0.824 (0.440–0.957)	0.143	0.395
Vastus Lateralis right turn	0.872 (0.612–0.968)	0.129	0.357	0.861 (0.590–0.965)	0.145	0.403	0.927 (0.772–0.982)	0.105	0.292	0.850 (0.534–0.963)	0.139	0.386
Vastus Medialis left turn	0.683 (0.119–0.919)	0.141	0.39	0.301 (-0.367-0.783)	0.142	0.394	0.730 (0.209–0.932)	0.218	0.605	0.858 (0.555–0.965)	0.143	0.397
Vastus Medialis right turn	0.972 (0.913–0.993)	0.192	0.533	0.726 (0.149–0.933)	0.241	0.667	0.947 (0.835–0.987)	0.166	0.459	0.720 (0.109–0.932)	0.217	0.601

Table 3. Results of the Intraclass correlation coefficient, standard error of measurement and minimal detectable change for electromyography activity patterns of the Hip and Thigh muscles by types of hardness insoles for left and right turns on the simulator.

Abbreviations: ICC, intraclass correlation coefficient; SEM: standard error of the mean; MDC: minimal detectable change; Right turn: Knee on the floor; Left turn: Lower extremity towards the motorcycle body part; EVA: ethy-vinyl-acetate; 95% CI, 95% confidence interval.

	Ordinary EVA 25°		EVA 52°		Polyprop	ylene 58°	Selective Aluminium 60°		
	25° A Shore		52° A Shore		58° D	Shore	60° Brinell Hardness		
LITM	$Mean \pm SD$	Median	$Mean \pm SD$	Median	$Mean \pm SD$	Median	$Mean \pm SD$	Median	
HIM and lurn	(95% CI)	(95% CI)							
Rectus Femoris left turn	14.08 ± 2.11	13.30	6.89 ± 0.38	6.97	5.31 ± 0.41	5.19	5.09 ± 0.46	4.87	
	(12.46 to 15.71)	(12.49 to 16.38)	(6.60 to 7.18)	(6.57 to 7.22)	(4.99 to 5.62)	(5.03 to 5.43)	(4.74 to 5.44)	(4.70 to 5.27)	
Rectus Femoris right turn	86.73 ± 1.21	86.46	86.42 ± 0.83	86.46	79.74 ± 0.91	79.81	73.02 ± 0.79	73.15	
	(85.79 to 87.06)	(86.05 to 87.67)	(85.78 to 87.06)	(85.89 to 87.10)	(79.04 to 80.44)	(79.24 to 80.45)	(72.42 to 73.62)	(72.42 to 73.64)	
Biceps Femoris left turn	20.74 ± 0.19	20.7	20.32 ± 0.26	20.35	19.41 ± 0.18	19.39	18.73 ± 0.15	18.77	
	(20.60 to 20.88)	(20.61 to 20.88)	(20.12 to 20.52)	(20.09 to 20.53)	(19.27 to 19.54)	(19.21 to 19.47)	(18.62 to 18.85)	(18.68 to 18.86)	
Biceps Femoris right turn	24.18 ± 0.19	24.15	23.21 ± 0.18	23.16	21.59 ± 0.20	21.58	20.09 ± 0.34	20.18	
	(24.04 to 24.33)	(24.04 to 24.21)	(23.07 to 23.35)	(23.16 to 23.25)	(21.43 to 21.74)	(21.49 to 21.75)	(19.83 to 20.35)	(19.82 to 20.35)	
Gluteus Maximus left turn	18.12 ± 1.00	18.44	16.73 ± 0.63	16.78	12.14 ± 0.33	12.29	11.11 ± 0.35	11.11	
	(17.36 to 18.89)	(17.73 to 18.91)	(16.24 to 17.22)	(16.31 to 17.26)	(11.88 to 12.39)	(11.82 to 12.29)	(10.84 to 11.38)	(10.87 to 11.35)	
Gluteus Maximus right turn	28.18 ± 0.89	27.9	26.74 ± 0.43	26.71	23.09 ± 0.57	22.93	21.51 ± 0.50	21.75	
	(27.50 to 28.87)	(27.42 to 28.84)	(26.41 to 27.07)	(26.71 to 26.95)	(22.63 to 23.50)	(22.70 to 23.40)	(21.13 to 21.90)	(21.04 to 21.99)	
Gluteus Medius left turn	36.05 ± 0.62	35.87	33.47 ± 0.48	33.33	27.58 ± 0.72	27.3	24.13 ± 0.67	24.13	
	(35.58 to 36.52)	(35.56 to 36.19)	(33.11 to 33.84)	(33.33 to 33.65)	(27.03 to 28.14)	(26.98 to 27.94)	(23.61 to 24.64)	(23.81 to 24.13)	
Gluteus Medius right turn	68.25 ± 0.55	68.25	66.70 ± 0.46	66.67	58.27 ± 1.04	58.1	56.44 ± 0.87	56.51	
	(67.83 to 68.68)	(68.25 to 68.57)	(66.35 to 67.06)	(66.35 to 66.98)	(57.47 to 59.07)	(57.46 to 58.73)	(55.77 to 57.10)	(55.87 to 57.14)	
Semitendinous left turn	26.12 ± 0.25	26.16	25.49 ± 0.22	25.57	24.26 ± 0.24	24.39	23.19 ± 0.19	23.21	
	(25.93 to 26.32)	(26.08 to 26.24)	(25.32 to 25.66)	(25.32 to 25.65)	(24.07 to 24.44)	(24.14 to 24.39)	(23.04 to 23.33)	(23.12 to 23.29)	
Semitendinous right turn	30.16 ± 0.16	30.13	29.69 ± 0.22	29.62	28.80 ± 0.17	28.78	28.42 ± 0.19	28.44	
	(30.04 to 30.29)	(30.04 to 30.30)	(29.52 to 29.85)	(29.54 to 29.87)	(28.67 to 28.93)	(28.69 to 28.95)	(28.27 to 28.57)	(28.35 to 28.52)	
Tensor Fasciae Latae left turn	89.30 ± 0.48	89.4	87.51 ± 0.47	87.67	82.64 ± 1.09	82.67	79.15 ± 0.19	79.2	
	(88.93 to 89.66)	(88.99 to 89.70)	(87.14 to 87.87)	(87.36 to 87.77)	(81.80 to 83.48)	(81.96 to 83.59)	(79.00 to 79.30)	(79.00 to 79.31)	
Tensor Fasciae Latae right turn	88.71 ± 0.24	88,69	87.11 ± 0.30	87,16	80.35 ± 0.58	80,53	79.11 ± 0.29	79	
	(88.52 to 88.89)	(88.48 to 88.89)	(86.88 to 87.34)	(86.85 to 87.36)	(79.90 to 80.79)	(79.82 to 80.73)	(78.89 to 79.33)	(78.90 to 79.31)	
Vastus Lateralis left turn	45.24 ± 0.23	45.17	43.91 ± 0.20	43.88	42.77 ± 0.18	42.74	38.05 ± 0.34	38.12	
	(45.06 to 45.42)	(45.09 to 45.34)	(43.76 to 44.07)	(43.80 to 44.12)	(42.63 to 42.90)	(42.74 to 42.82)	(37.79 to 38.31)	(37.88 to 38.28)	
Vastus Lateralis right turn	92.58 ± 0.36	92.7	91.67 ± 0.39	91.73	88.50 ± 0.39	88.56	83.44 ± 0.36	83.45	
	(92.30 to 92.86)	(92.21 to 92.78)	(91.37 to 91.97)	(91.40 to 91.97)	(88.20 to 88.80)	(88.16 to 88.81)	(83.16 to 83.72)	(83.21 to 83.70)	
Vastus Medialis left turn	12.24 ± 0.25	12,41	11.04 ± 0.17	11,05	9.03 ± 0.42	9,09	7.77 ± 0.38	7,92	
	(12.05 to 12.44)	(12.22 to 12.41)	(10.90 to 11.17)	(10.95 to 11.14)	(8.70 to 9.35)	(8.90 to 9.29)	(7.47 to 8.06)	(7.72 to 8.02)	
Vastus Medialis right turn	95.13 ± 1.15	95.31	93.83 ± 0.46	93.84	86.53 ± 0.72	86.41	82.08 ± 0.41	82,21	
	(94.25 to 96.02)	(95.53 to 95.99)	(93.48 to 94.18)	(93.45 to 94.23)	(85.98 to 87.09)	(86.22 to 87.00)	(81.76 to 82.40)	(81.62 to 82.40)	

Table 4. Measurement of the Peak amplitude of the electromyographic patterns of the Thigh and Hip muscles for different HI for left and right turns on the simulator.

Abbreviations: EVA, ethyl-vinyl-acetate; SD: standard deviation; Right turn: Knee touching the road; Left turn: Lower extremity towards the motorcycle body part; 95% CI: 95% confidence interval.

Standard EVA	EVA	EVA	
Vs	Vs	Vs	
EVA	Polypropylene	Aluminum	
p Value	p Value	p Value	
< 0.001	< 0.001	< 0.001	
1.000	< 0.001	< 0.001	
0.004	< 0.001	< 0.001	
< 0.001	< 0.001	< 0.001	
0.002	< 0.001	< 0.001	
0.042	< 0.001	< 0.001	
< 0.001	< 0.001	< 0.001	
0.002	< 0.001	< 0.001	
0.002	< 0.001	< 0.001	
0.001	< 0.001	< 0.001	
< 0.001	< 0.001	< 0.001	
< 0.001	< 0.001	< 0.001	
0.001	< 0.001	< 0.001	
< 0.001	< 0.001	< 0.001	
< 0.001	< 0.001	< 0.001	
0.067	< 0.001	< 0.001	
	Standard EVA Vs EVA p Value <0.001	Standard EVA EVA Vs Vs EVA Polypropylene p Value p Value q Value Q Value <0.001	

Table 5. Correlation between different kinds of hardness insoles with regard to EMG activity patterns of the Thigh and Hip muscles.

Abbreviations: EVA: ethylene vinyl acetate; THM: Thigh hip muscles.

4. Discussion

The aim of the study was to identify hip and thigh muscles and decrease the activity of muscular patterns using hard insoles while riding on a motorcycle. There are several studies about the influence of lower limb muscles during cycling with EMG [30–33]. Notably, Bousie et al. analysed the variation of the plantar pressures using templates with different hardness during cycling, concluding that contoured templates raised contact area in cycling [31]. Further, Casado et al. described changes in motoriders' plantar pressures using different custom foot insoles with different hardness when subjects rode on a motorcycle simulator, resulting in metatarsal foot heads and hallux pressures decreasing with the hardest custom foot insoles [34].

Fortier Guillaume et al. analysed EMG patterns of horse riders and their findings were that biceps femoris, gluteus maximus and rectus femoris had a continuous pattern of activation throughout the cross-country course. They suggest that these muscles are stabilisers and coordinators of the horse rider's [35].

Speed circuit is composed by straights and multiple turns and bends that requires motoriders a high precise control of the dynamics and the distribution of the centre of mass of the sport motorcycle. The rider achieves stability on the motorcycle with the whole body, with the upper limbs supported by the hands on the handlebars and handles, with the leg resting against the motorcycle fairing and, finally, with the foot resting on the footpeg. Motoriders execute load transfers on the motorcycle in the course of variations in speed and quick tilts on turns that demand repeated physical effort [1,32].

In our research, we found lower HTM activity when the subject's knee was on the motorcycle, specifically in left cornering, being higher in right cornering, that is to say, when the subject knee was on the ground. This difference may be due to the rider having to lift the motorcycle to the vertical position and the maximum strength does it with the leg that is in contact with the ground. There is a lack of research with respect to measurements regarding the thigh and hip muscles strength of riders. We have found research regarding the influence of upper limb muscles on handgrip strength and lumbar isometric strength [1–3,36].

Tomida et al analysed the incidence of injuries in elite competitors but in their research there is a lack of lower limb muscle injury patterns. Most of the injuries were about fractures following ligament injury, but not of muscle injuries [37].

In our study, we analysed the alteration in the EMG patterns in the right hip and right leg of each subject cornering in left and right turns using different HIs. Riders get motorcycle stability taking a turn knocking with the knee on the inside of the turn and, consequently, a great force on the footrest with the medial side of the forefoot is applied. On the other hand, the opposite leg rests on the motorcycle chassis, preparing the stability to put the rider in a neutral position once cornering is finished. Biomechanically, the main role of the tensor fascia latae (TFL) muscle is swinging the weight of the body, and performing hip abduction for the non-weight-holding leg during walking [38]. The TFL performs the most muscle activity in both right and left turns. This is due to its main function in abduction and internal rotations of hip and knee flexor. For these reason the TFL is one of the most significant muscles for maintaining steadiness at the time that the knee touches the floor on the turn. These movements are constantly performed by riders in a turn to the right and left.

The results in our study wearing the select aluminium HI had considerably lesser muscle amplitude peaks than the other HIs for the gluteus maximus; gluteus medius; rectus femoris; biceps femoris; semitendinous; vastus lateralis and vastus medialis. For the TFL the select aluminum HI had considerably lesser muscle amplitude peaks than other HIs in different turns, but considerably higher peak amplitude than other muscles. We suppose that the elevated activity of the TFL in right and left turns, when the knee contacts on road and the knee is close to the motorcycle, increases steadiness in riding. Additionally, reduced activity of the other HTM in turns would probably help to reduced fatigue in riding.

More research in sport motorcycling are necessary to study the biomechanical performance of the hip and lower limb muscles due to the complexity of the movements performed by a rider taking multiple turns and the influence of extrinsic factors, such us gravity force and inertia. Data we obtained in our study could assess the overloading of HTM in such situations.

A limitation of our study is the lack of inertial forces and steering control challenges in our simulator that occur when riding a motorcycle on a real speed circuit. Further research is needed on the physical effects of motorcycling during actual sport races.

5. Conclusions

Using the hardest templates in our study (selective aluminium) the EMG amplitude peaks decreased in all HTM. In order from lower amplitude peaks in HIs were polypropylene 58° D Shore, EVA 52° A Shore, and ordinary EVA 25° A Shore. Likewise, the TFL was the only muscle that maintained a constant contraction in right and left turns, being the main stabilizer in sport motorcycling.

Ethical Statement: An ethics committee approved our research (number C.I. 18/506-E). To take part in the research every subject signed a consent inform. Our research procedures complied with the Declaration of Helsinki ethical procedures.

Author Contributions: Conceptualization, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; methodology, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; software, I.C.-H., R.B.-d.-B.-V., M.E.L.-I.; validation, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; formal analysis, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., D.L.-L. and C.C.-L.; investigation, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., D.L.-L. and C.C.-L.; investigation, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., D.L.-L. and C.C.-L.; investigation, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; investigation, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., C.R.-M., V.M.-P. and C.C.-L.; resources, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; writing—original draft preparation, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; visualization, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; visualization, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; visualization, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; visualization, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; visualization, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; visualization, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; uspervision, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; visualization, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L.; project administration, I.C.-H., R.B.-d.-B.-V., M.E.L.-I., E.M.M.-J., D.L.-L., C.R.-M., V.M.-P. and C.C.-L. All authors have read and agreed to the published version of the manuscript.

Conflicts of Interest: The authors declare no conflict of interest.

Abbreviations

- EMG Electromyography
- HTM Hip and thigh muscles
- HI Hardest insoles
- EVA Ethylene Vinyl Acetate
- BMI Body Mass Index
- MDC Minimal detectable change

References

- 1. D'Artibale, E.; Tessitore, A.; Capranica, L. Heart rate and blood lactate concentration of male road-race motorcyclists. *J. Sports Sci.* 2008, *26*, 683–689. [CrossRef]
- 2. Gobbi, A.W.; Francisco, R.; Tuy, B.; Kvitne, R.S.; Nakamura, N. Physiological characteristics of top level off-road motorcyclists. *Br. J. Sports Med.* **2005**, *39*, 927–931. [CrossRef]
- 3. D'Artibale, E.; Laursen, P.B.; Cronin, J.B. Profiling the physical load on riders of top-level motorcycle circuit racing. *J. Sports Sci.* 2017, *36*, 1–7. [CrossRef] [PubMed]
- Marina, M.; Rios, M.; Torrado, P.; Busquets, A.; Angulo-Barroso, R. Force-time course parameters and force fatigue model during an intermittent fatigue protocol in motorcycle race riders. *Scand. J. Med. Sci. Sports* 2014, 25, 406–416. [CrossRef] [PubMed]
- 5. Gandevia, S.C. Spinal and supraspinal factors in human muscle fatigue. *Physiol. Rev.* **2001**, *81*, 1725–1789. [CrossRef] [PubMed]
- 6. Millet, G.Y.; Lepers, R. Alterations of neuromuscular function after prolonged running, cycling and skiing exercises. *Sports Med.* **2004**, *34*, 105–116. [CrossRef]
- 7. Varley, G.; Spencer-Jones, R.; Thomas, P.; Andrews, D.; Green, A.; Stevens, D. Injury patterns in motorcycle road racers: Experience on the Isle of Man 1989–1991. *Injury* **1993**, *24*, 443–446. [CrossRef]
- 8. Chapman, M.A.; Oni, J. Motor racing accidents at Brands Hatch, 1988/9. *Br. J. Sports Med.* **1991**, 25, 121–123. [CrossRef]
- Horner, C.H.; O'Brien, A.A. Motorcycle racing injuries on track and road circuits in Ireland. *Br. J. Sports Med.* 1986, 20, 157–158. [CrossRef]
- 10. Gregor, R.J.; Wheeler, J.B. Biomechanical Factors Associated with Shoe/Pedal Interfaces. *Sports Med.* **1994**, 17, 117–131. [CrossRef]
- Ramos-Ortega, J.; Domínguez-Maldonado, G.; Castillo, J.M.; Fernández-Seguín, L.; Munuera, P.V.; Munuera-Martínez, P.V. Angular position of the cleat according to torsional parameters of the cyclist's lower limb. *Clin. J. Sport Med.* 2014, 24, 251–255. [CrossRef] [PubMed]
- 12. Mellion, M.B. Common cycling injuries. Sports Med. 1991, 11, 52–70. [CrossRef] [PubMed]
- 13. Thompson, M.J.; Rivara, F.P. Bicycle-related injuries. Am. Fam. Physician 2001, 63, 2007–2014. [PubMed]
- Momeni, K.; Faghri, P.D.; Evans, M. Lower-extremity joint kinematics and muscle activations during semi-reclined cycling at different workloads in healthy individuals. *J. Neuroeng. Rehabil.* 2014, 11, 146. [CrossRef]
- 15. Brearley, M.; Norton, I.; Kingsbury, D.; Maas, S. Responses of elite road motorcyclists to racing in tropical conditions: A case study. *Int. J. Sports Physiol. Perform.* **2014**, *9*, 887–890. [CrossRef]
- 16. Baum, B.S.; Li, L. Lower extremity muscle activities during cycling are influenced by load and frequency. *J. Electromyogr. Kinesiol.* **2003**, *13*, 181–190. [CrossRef]
- 17. Hug, F.; Laplaud, D.; Lucia, A.; Grélot, L. EMG threshold determination in eight lower limb muscles during cycling exercise: A pilot study. *Int. J. Sports Med.* **2006**, 27, 456–462. [CrossRef]
- Casado-Hernández, I.; Vallejo, R.B.D.B.; Iglesias, M.E.L.; López-López, D.; Rodríguez-Sanz, D.; Jiménez, E.M.M.; Calvo-Lobo, C. Electromyographic evaluation of the impacts of different insoles in the activity patterns of the lower limb muscles during sport motorcycling: A cross-over trial. *Sensors* 2019, 19, 2249. [CrossRef]
- 19. Hoffmann, T.C.; Glasziou, P.P.; Boutron, I.; Milne, R.; Perera, R.; Moher, D.; Altman, D.G.; Barbour, V.; Macdonald, H.; Johnston, M.; et al. Better reporting of interventions: Template for intervention description and replication (TIDieR) checklist and guide. *BMJ* **2014**, *348*, g1687. [CrossRef]

- 20. Hermens, H.J.; Freriks, B.; Merletti, R.; Stegeman, D.; Blok, J.; Rau, G.; Disselhorst-Klug, C.; Hägg, G. European Recommendations for Surface ElectroMyoGraphy. Available online: http://www.seniam.org/pdf/ contents8.PDF (accessed on 10 January 2020).
- 21. Yang, J.F.; Winter, D.A. Electromyographic amplitude normalization methods: Improving their sensitivity as diagnostic tools in gait analysis. *Arch. Phys. Med. Rehabil.* **1984**, *65*, 517–521.
- 22. Knutson, L.M.; Soderberg, G.L.; Ballantyne, B.T.; Clarke, W.R. A study of various normalization procedures for within day electromyographic data. *J. Electromyogr. Kinesiol.* **1994**, *4*, 47–59. [CrossRef]
- 23. Cram, J.R.; Kasman, G.S.; Holtz, J. *Introduction to Surface Electromyography*; Jones & Bartlett Publishers: Burlington, MA, USA, 1998.
- 24. Enderlein, G.; Fleiss, J.L. The Design and Analysis of Clinical Experiments. Wiley, New York—Chichester— Brislane—Toronto—Singapore 1986, 432 S., £38.35. *Biom. J.* **2007**, *30*, 304. [CrossRef]
- 25. Hallgren, K.A. Computing inter-rater reliability for observational data: An overview and tutorial. *Tutor Quant. Methods Psychol.* **2012**, *8*, 23–34. [CrossRef] [PubMed]
- 26. Portney, L.; Watkins, M. Foundations of Clinical Research: Applications to Practice; FA Davis: Philadelphia, PA, USA, 2009.
- 27. Bland, J.M.; Altman, U. Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* **1986**, 327, 307–310. [CrossRef]
- 28. Stratford, P.W.; Binkley, J.; Solomon, P.; Finch, E.; Gill, C.; Moreland, J. Defining the minimum level of detectable change for the roland-morris questionnaire. *Phys. Ther.* **1996**, *76*, 359–365. [CrossRef]
- 29. Cohen, J. A power primer. Psychol. Bull. 1992, 112, 155–159. [CrossRef]
- 30. Watanabe, K.; Sato, T.; Mukaimoto, T.; Takashima, W.; Yamagishi, M.; Nishiyama, T. Electromyographic analysis of thigh muscles during track cycling on a velodrome. *J. Sports Sci.* **2015**, *34*, 1413–1422. [CrossRef]
- 31. Bousie, J.; Blanch, P.; McPoil, T.G.; Vicenzino, B.T. Contoured in-shoe foot orthoses increase mid-foot plantar contact area when compared with a flat insert during cycling. *J. Sci. Med. Sport* **2013**, *16*, 60–64. [CrossRef]
- 32. Yeo, B.K.; Bonanno, D.R. The effect of foot orthoses and in-shoe wedges during cycling: A systematic review. *J. Foot Ankle Res.* **2014**, *7*, 31. [CrossRef]
- McCormick, C.J.; Bonanno, D.R.; Landorf, K.B. The effect of customised and sham foot orthoses on plantar pressures. J. Foot Ankle Res. 2013, 6, 19. [CrossRef]
- Casado-Hernández, I.; Becerro-De-Bengoa-Vallejo, R.; López-López, D.; Gómez-Bernal, A.; Iglesias, M.E.L. Aluminum foot insoles reduce plantar forefoot pressure and increase foot comfort for motorcyclists. *Prosthetics Orthot. Int.* 2018, 42, 606–611. [CrossRef] [PubMed]
- 35. Guillaume, J.F.; Laroche, D.; Babault, N. Kinematics and electromyographic activity of horse riders during various cross-country jumps in equestrian. *Sports Biomech.* **2019**, 1–13. [CrossRef] [PubMed]
- Muñoz, C.S.; Rodriguez, M.; Casimiro-Andújar, A.J.; Ortega, F.B.; March, M.M.; Zabala, M. Physical profile of elite young motorcyclists. *Int. J. Sports Med.* 2011, 32, 788–793. [CrossRef] [PubMed]
- 37. Tomida, Y.; Hirata, H.; Fukuda, A.; Tsujii, M.; Kato, K.; Fujisawa, K.; Uchida, A. Injuries in elite motorcycle racing in Japan. *Br. J. Sports Med.* 2005, *39*, 508–511. [CrossRef] [PubMed]
- 38. Gottschalk, F.; Kourosh, S.; Leveau, B. The functional anatomy of tensor fasciae latae and gluteus medius and minimus. *J. Anat.* **1989**, *166*, 179–189.



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).