

Supplemental material

Supplemental Table 1. Outcomes during follow up.

All cohort (n=1679)

Primary outcome (day 30), n (%)

Stroke or death	50 (3)
Stroke	29 (1.7)
Death	16 (0.9)
Vascular death	5 (0.3)

Primary outcome (day 0-90), n (%)

Stroke or death	73 (4.3)
Stroke	39 (2.3)
Death from any cause	28 (1.6)
Vascular death	6 (0.4)

Safety outcome (90 days), n (%)

Hemorrhagic event	41 (2.4)
Severe bleeding	14 (0.8)
Intracranial hemorrhage	20 (1.2)

Secondary outcomes (90 days), n (%)

TIA	17 (1)
Angina and myocardial infarction	4 (0.3)
Other vascular events	6 (0.4)

TIA: Transient Ischemic Attack

Supplemental Table 2. Hyperacute, acute management and functional Prognosis.

All cohort (n=1679)	
Neurological assessment (first 24 hours), n (%)	1509 (90)
Stroke code activation, n (%)	725 (43)
Neurovascular study (first 24 hours), n (%)	1226 (73)
Neurovascular study during admission, n (%)	1584 (94)
Hospitalization, n (%)	1456 (87)
Stroke unit	1123 (66)
Neurology Ward	333 (20)
Reperfusion therapy, n (%)	146 (9)
Intravenous Thrombolysis (IVT)	116 (7)
Mechanical Thrombectomy (MT)	23 (1.4)
IVT+MT	7 (0.4)
Urgent antiplatelet therapy (24 h), n (%)	
Monotherapy	1024 (61)
Double antiplatelet therapy	320 (21)
Discharge antiplatelet therapy, n (%)	
Monotherapy	1235 (75)
Double antiplatelet therapy	410 (24)
Functional prognosis (mRS), n (%)	(n=1489)*
Day 30**	
0-1	935 (64)
2	294 (20)
3-6	230 (16)
Day 90***	
0-1	988 (68)
2	262 (18)
3-6	201 (13)

*Previous independent patients at admission. **Lost to follow-up (n=30).

***Lost to follow-up (n=38).