

## Correction: *Mitochondrial DNA haplogroups influence the risk of incident knee osteoarthritis in OAI and CHECK cohorts. A meta-analysis and functional study*

Fernández-Moreno M, Soto-Hermida A, Vázquez-Mosquera M, *et al.* Mitochondrial DNA haplogroups influence the risk of incident knee osteoarthritis in OAI and CHECK cohorts. A meta-analysis and functional study. *Ann of Rheum Dis* 2017;76:1114–22. doi: 10.1136/annrheumdis-2016-210131

The second corresponding author was not listed.

The corresponding details are:

Francisco J Blanco MD PhD  
Rheumatology Service  
Clinical Research Unit  
INIBIC-Complejo Hospitalario Universitario A Coruña  
15006-A Coruña, Spain  
flblagar@sergas.es



### OPEN ACCESS

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

© Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

*Ann Rheum Dis* 2019;78:e143. doi:10.1136/annrheumdis-2016-210131corr1

